

Zoll und Millimeter Umrechnungstabelle / INCH AND MILLIMETER EQUIVALENCE CHART

Die Angaben sind ohne Gewähr / Specifications without warranty

1" = 25,40005 mm

1 mm = 0,03937" ~ 5/127"

Teilung / Fraction (")	Dezimal / Decimal (")	Millimeter / Millimeters (mm)	Teilung / Fraction (")	Dezimal / Decimal (")	Millimeter / Millimeters (mm)	Teilung / Fraction (")	Dezimal / Decimal (")	Millimeter / Millimeters (mm)
1/64	0,01563	0,4	2" 11/16	2,68750	68,3	5" 23/64	5,35938	136,1
1/32	0,03125	0,8	2" 45/64	2,70313	68,7	5" 3/8	5,37500	136,5
3/64	0,04688	1,2	2" 23/32	2,71875	69,1	5" 25/64	5,39063	136,9
1/16	0,06250	1,6	2" 47/64	2,73438	69,5	5" 13/32	5,40625	137,3
5/64	0,07813	2,0	2" 3/4	2,75000	69,9	5" 27/64	5,42188	137,7
3/32	0,09375	2,4	2" 49/64	2,76563	70,2	5" 7/16	5,43750	138,1
7/64	0,10938	2,8	2" 25/32	2,78125	70,6	5" 29/64	5,45313	138,5
1/8	0,12500	3,2	2" 51/64	2,79688	71,0	5" 15/32	5,46875	138,9
9/64	0,14063	3,6	2" 13/16	2,81250	71,4	5" 31/64	5,48438	139,3
5/32	0,15625	4,0	2" 53/64	2,82813	71,8	5" 1/2	5,50000	139,7
11/64	0,17188	4,4	2" 27/32	2,84375	72,2	5" 33/64	5,51563	140,1
3/16	0,18750	4,8	2" 55/64	2,85938	72,6	5" 17/32	5,53125	140,5
13/64	0,20313	5,2	2" 7/8	2,87500	73,0	5" 35/64	5,54688	140,9
7/32	0,21875	5,6	2" 57/64	2,89063	73,4	5" 9/16	5,56250	141,3
15/64	0,23438	6,0	2" 29/32	2,90625	73,8	5" 37/64	5,57813	141,7
1/4	0,25000	6,4	2" 59/64	2,92188	74,2	5" 19/32	5,59375	142,1
17/64	0,26563	6,7	2" 15/16	2,93750	74,6	5" 39/64	5,60938	142,5
9/32	0,28125	7,1	2" 61/64	2,95313	75,0	5" 5/8	5,62500	142,9
19/64	0,29688	7,5	2" 31/32	2,96875	75,4	5" 41/64	5,64063	143,3
5/16	0,31250	7,9	2" 63/64	2,98438	75,8	5" 21/32	5,65625	143,7
21/64	0,32813	8,3	3"	3,00000	76,2	5" 43/64	5,67188	144,1
11/32	0,34375	8,7	3" 1/64	3,01563	76,6	5" 11/16	5,68750	144,5
23/64	0,35938	9,1	3" 1/32	3,03125	77,0	5" 45/64	5,70313	144,9
3/8	0,37500	9,5	3" 3/64	3,04688	77,4	5" 23/32	5,71875	145,3
25/64	0,39063	9,9	3" 1/16	3,06250	77,8	5" 47/64	5,73438	145,7
13/32	0,40625	10,3	3" 5/64	3,07813	78,2	5" 3/4	5,75000	146,1
27/64	0,42188	10,7	3" 3/32	3,09375	78,6	5" 49/64	5,76563	146,4
7/16	0,43750	11,1	3" 7/64	3,10938	79,0	5" 25/32	5,78125	146,8
29/64	0,45313	11,5	3" 1/8	3,12500	79,4	5" 51/64	5,79688	147,2
15/32	0,46875	11,9	3" 9/64	3,14063	79,8	5" 13/16	5,81250	147,6
31/64	0,48438	12,3	3" 5/32	3,15625	80,2	5" 53/64	5,82813	148,0
1/2	0,50000	12,7	3" 11/64	3,17188	80,6	5" 27/32	5,84375	148,4
33/64	0,51563	13,1	3" 3/16	3,18750	81,0	5" 55/64	5,85938	148,8
17/32	0,53125	13,5	3" 13/64	3,20313	81,4	5" 7/8	5,87500	149,2
35/64	0,54688	13,9	3" 7/32	3,21875	81,8	5" 57/64	5,89063	149,6
9/16	0,56250	14,3	3" 15/64	3,23438	82,2	5" 29/32	5,90625	150,0
37/64	0,57813	14,7	3" 1/4	3,25000	82,6	5" 59/64	5,92188	150,4
19/32	0,59375	15,1	3" 17/64	3,26563	82,9	5" 15/16	5,93750	150,8
39/64	0,60938	15,5	3" 9/32	3,28125	83,3	5" 61/64	5,95313	151,2

Zoll und Millimeter Umrechnungstabelle / INCH AND MILLIMETER EQUIVALENCE CHART

Die Angaben sind ohne Gewähr / Specifications without warranty

1" = 25,40005 mm

1 mm = 0,03937" ~ 5/127"

Teilung / Fraction (")	Dezimal / Decimal (")	Millimeter / Millimeters (mm)	Teilung / Fraction (")	Dezimal / Decimal (")	Millimeter / Millimeters (mm)	Teilung / Fraction (")	Dezimal / Decimal (")	Millimeter / Millimeters (mm)
5/8	0,62500	15,9	3" 19/64	3,29688	83,7	5" 31/32	5,96875	151,6
41/64	0,64063	16,3	3" 5/16	3,31250	84,1	5" 63/64	5,98438	152,0
21/32	0,65625	16,7	3" 21/64	3,32813	84,5	6"	6,00000	152,4
43/64	0,67188	17,1	3" 11/32	3,34375	84,9	6" 1/64	6,01563	152,8
11/16	0,68750	17,5	3" 23/64	3,35938	85,3	6" 1/32	6,03125	153,2
45/64	0,70313	17,9	3" 3/8	3,37500	85,7	6" 3/64	6,04688	153,6
23/32	0,71875	18,3	3" 25/64	3,39063	86,1	6" 1/16	6,06250	154,0
47/64	0,73438	18,7	3" 13/32	3,40625	86,5	6" 5/64	6,07813	154,4
3/4	0,75000	19,1	3" 27/64	3,42188	86,9	6" 3/32	6,09375	154,8
49/64	0,76563	19,4	3" 7/16	3,43750	87,3	6" 7/64	6,10938	155,2
25/32	0,78125	19,8	3" 29/64	3,45313	87,7	6" 1/8	6,12500	155,6
51/64	0,79688	20,2	3" 15/32	3,46875	88,1	6" 9/64	6,14063	156,0
13/16	0,81250	20,6	3" 31/64	3,48438	88,5	6" 5/32	6,15625	156,4
53/64	0,82813	21,0	3" 1/2	3,50000	88,9	6" 11/64	6,17188	156,8
27/32	0,84375	21,4	3" 33/64	3,51563	89,3	6" 3/16	6,18750	157,2
55/64	0,85938	21,8	3" 17/32	3,53125	89,7	6" 13/64	6,20313	157,6
7/8	0,87500	22,2	3" 35/64	3,54688	90,1	6" 7/32	6,21875	158,0
57/64	0,89063	22,6	3" 9/16	3,56250	90,5	6" 15/64	6,23438	158,4
29/32	0,90625	23,0	3" 37/64	3,57813	90,9	6" 1/4	6,25000	158,8
59/64	0,92188	23,4	3" 19/32	3,59375	91,3	6" 17/64	6,26563	159,1
15/16	0,93750	23,8	3" 39/64	3,60938	91,7	6" 9/32	6,28125	159,5
61/64	0,95313	24,2	3" 5/8	3,62500	92,1	6" 19/64	6,29688	159,9
31/32	0,96875	24,6	3" 41/64	3,64063	92,5	6" 5/16	6,31250	160,3
63/64	0,98438	25,0	3" 21/32	3,65625	92,9	6" 21/64	6,32813	160,7
1"	1,00000	25,4	3" 43/64	3,67188	93,3	6" 11/32	6,34375	161,1
1" 1/64	1,01563	25,8	3" 11/16	3,68750	93,7	6" 23/64	6,35938	161,5
1" 1/32	1,03125	26,2	3" 45/64	3,70313	94,1	6" 3/8	6,37500	161,9
1" 3/64	1,04688	26,6	3" 23/32	3,71875	94,5	6" 25/64	6,39063	162,3
1" 1/16	1,06250	27,0	3" 47/64	3,73438	94,9	6" 13/32	6,40625	162,7
1" 5/64	1,07813	27,4	3" 3/4	3,75000	95,3	6" 27/64	6,42188	163,1
1" 3/32	1,09375	27,8	3" 49/64	3,76563	95,6	6" 7/16	6,43750	163,5
1" 7/64	1,10938	28,2	3" 25/32	3,78125	96,0	6" 29/64	6,45313	163,9
1" 1/8	1,12500	28,6	3" 51/64	3,79688	96,4	6" 15/32	6,46875	164,3
1" 9/64	1,14063	29,0	3" 13/16	3,81250	96,8	6" 31/64	6,48438	164,7
1" 5/32	1,15625	29,4	3" 53/64	3,82813	97,2	6" 1/2	6,50000	165,1
1" 11/64	1,17188	29,8	3" 27/32	3,84375	97,6	6" 33/64	6,51563	165,5
1" 3/16	1,18750	30,2	3" 55/64	3,85938	98,0	6" 17/32	6,53125	165,9
1" 13/64	1,20313	30,6	3" 7/8	3,87500	98,4	6" 35/64	6,54688	166,3
1" 7/32	1,21875	31,0	3" 57/64	3,89063	98,8	6" 9/16	6,56250	166,7

Zoll und Millimeter Umrechnungstabelle / INCH AND MILLIMETER EQUIVALENCE CHART

Die Angaben sind ohne Gewähr / Specifications without warranty

1" = 25,40005 mm

1 mm = 0,03937" ~ 5/127"

Teilung / Fraction (")	Dezimal / Decimal (")	Millimeter / Millimeters (mm)	Teilung / Fraction (")	Dezimal / Decimal (")	Millimeter / Millimeters (mm)	Teilung / Fraction (")	Dezimal / Decimal (")	Millimeter / Millimeters (mm)
1" 15/64	1,23438	31,4	3" 29/32	3,90625	99,2	6" 37/64	6,57813	167,1
1" 1/4	1,25000	31,8	3" 59/64	3,92188	99,6	6" 19/32	6,59375	167,5
1" 17/64	1,26563	32,1	3" 15/16	3,93750	100,0	6" 39/64	6,60938	167,9
1" 9/32	1,28125	32,5	3" 61/64	3,95313	100,4	6" 5/8	6,62500	168,3
1" 19/64	1,29688	32,9	3" 31/32	3,96875	100,8	6" 41/64	6,64063	168,7
1" 5/16	1,31250	33,3	3" 63/64	3,98438	101,2	6" 21/32	6,65625	169,1
1" 21/64	1,32813	33,7	4"	4,00000	101,6	6" 43/64	6,67188	169,5
1" 11/32	1,34375	34,1	4" 1/64	4,01563	102,0	6" 11/16	6,68750	169,9
1" 23/64	1,35938	34,5	4" 1/32	4,03125	102,4	6" 45/64	6,70313	170,3
1" 3/8	1,37500	34,9	4" 3/64	4,04688	102,8	6" 23/32	6,71875	170,7
1" 25/64	1,39063	35,3	4" 1/16	4,06250	103,2	6" 47/64	6,73438	171,1
1" 13/32	1,40625	35,7	4" 5/64	4,07813	103,6	6" 3/4	6,75000	171,5
1" 27/64	1,42188	36,1	4" 3/32	4,09375	104,0	6" 49/64	6,76563	171,8
1" 7/16	1,43750	36,5	4" 7/64	4,10938	104,4	6" 25/32	6,78125	172,2
1" 29/64	1,45313	36,9	4" 1/8	4,12500	104,8	6" 51/64	6,79688	172,6
1" 15/32	1,46875	37,3	4" 9/64	4,14063	105,2	6" 13/16	6,81250	173,0
1" 31/64	1,48438	37,7	4" 5/32	4,15625	105,6	6" 53/64	6,82813	173,4
1" 1/2	1,50000	38,1	4" 11/64	4,17188	106,0	6" 27/32	6,84375	173,8
1" 33/64	1,51563	38,5	4" 3/16	4,18750	106,4	6" 55/64	6,85938	174,2
1" 17/32	1,53125	38,9	4" 13/64	4,20313	106,8	6" 7/8	6,87500	174,6
1" 35/64	1,54688	39,3	4" 7/32	4,21875	107,2	6" 57/64	6,89063	175,0
1" 9/16	1,56250	39,7	4" 15/64	4,23438	107,6	6" 29/32	6,90625	175,4
1" 37/64	1,57813	40,1	4" 1/4	4,25000	108,0	6" 59/64	6,92188	175,8
1" 19/32	1,59375	40,5	4" 17/64	4,26563	108,3	6" 15/16	6,93750	176,2
1" 39/64	1,60938	40,9	4" 9/32	4,28125	108,7	6" 61/64	6,95313	176,6
1" 5/8	1,62500	41,3	4" 19/64	4,29688	109,1	6" 31/32	6,96875	177,0
1" 41/64	1,64063	41,7	4" 5/16	4,31250	109,5	6" 63/64	6,98438	177,4
1" 21/32	1,65625	42,1	4" 21/64	4,32813	109,9	7"	7,00000	177,8
1" 43/64	1,67188	42,5	4" 11/32	4,34375	110,3	7" 1/64	7,01563	178,2
1" 11/16	1,68750	42,9	4" 23/64	4,35938	110,7	7" 1/32	7,03125	178,6
1" 45/64	1,70313	43,3	4" 3/8	4,37500	111,1	7" 3/64	7,04688	179,0
1" 23/32	1,71875	43,7	4" 25/64	4,39063	111,5	7" 1/16	7,06250	179,4
1" 47/64	1,73438	44,1	4" 13/32	4,40625	111,9	7" 5/64	7,07813	179,8
1" 3/4	1,75000	44,5	4" 27/64	4,42188	112,3	7" 3/32	7,09375	180,2
1" 49/64	1,76563	44,8	4" 7/16	4,43750	112,7	7" 7/64	7,10938	180,6
1" 25/32	1,78125	45,2	4" 29/64	4,45313	113,1	7" 1/8	7,12500	181,0
1" 51/64	1,79688	45,6	4" 15/32	4,46875	113,5	7" 9/64	7,14063	181,4
1" 13/16	1,81250	46,0	4" 31/64	4,48438	113,9	7" 5/32	7,15625	181,8
1" 53/64	1,82813	46,4	4" 1/2	4,50000	114,3	7" 11/64	7,17188	182,2

Zoll und Millimeter Umrechnungstabelle / INCH AND MILLIMETER EQUIVALENCE CHART

Die Angaben sind ohne Gewähr / Specifications without warranty

1" = 25,40005 mm

1 mm = 0,03937" ~ 5/127"

Teilung / Fraction (")	Dezimal / Decimal (")	Millimeter / Millimeters (mm)	Teilung / Fraction (")	Dezimal / Decimal (")	Millimeter / Millimeters (mm)	Teilung / Fraction (")	Dezimal / Decimal (")	Millimeter / Millimeters (mm)
1" 27/32	1,84375	46,8	4" 33/64	4,51563	114,7	7" 3/16	7,18750	182,6
1" 55/64	1,85938	47,2	4" 17/32	4,53125	115,1	7" 13/64	7,20313	183,0
1" 7/8	1,87500	47,6	4" 35/64	4,54688	115,5	7" 7/32	7,21875	183,4
1" 57/64	1,89063	48,0	4" 9/16	4,56250	115,9	7" 15/64	7,23438	183,8
1" 29/32	1,90625	48,4	4" 37/64	4,57813	116,3	7" 1/4	7,25000	184,2
1" 59/64	1,92188	48,8	4" 19/32	4,59375	116,7	7" 17/64	7,26563	184,5
1" 15/16	1,93750	49,2	4" 39/64	4,60938	117,1	7" 9/32	7,28125	184,9
1" 61/64	1,95313	49,6	4" 5/8	4,62500	117,5	7" 19/64	7,29688	185,3
1" 31/32	1,96875	50,0	4" 41/64	4,64063	117,9	7" 5/16	7,31250	185,7
1" 63/64	1,98438	50,4	4" 21/32	4,65625	118,3	7" 21/64	7,32813	186,1
2"	2,00000	50,8	4" 43/64	4,67188	118,7	7" 11/32	7,34375	186,5
2" 1/64	2,01563	51,2	4" 11/16	4,68750	119,1	7" 23/64	7,35938	186,9
2" 1/32	2,03125	51,6	4" 45/64	4,70313	119,5	7" 3/8	7,37500	187,3
2" 3/64	2,04688	52,0	4" 23/32	4,71875	119,9	7" 25/64	7,39063	187,7
2" 1/16	2,06250	52,4	4" 47/64	4,73438	120,3	7" 13/32	7,40625	188,1
2" 5/64	2,07813	52,8	4" 3/4	4,75000	120,7	7" 27/64	7,42188	188,5
2" 3/32	2,09375	53,2	4" 49/64	4,76563	121,0	7" 7/16	7,43750	188,9
2" 7/64	2,10938	53,6	4" 25/32	4,78125	121,4	7" 29/64	7,45313	189,3
2" 1/8	2,12500	54,0	4" 51/64	4,79688	121,8	7" 15/32	7,46875	189,7
2" 9/64	2,14063	54,4	4" 13/16	4,81250	122,2	7" 31/64	7,48438	190,1
2" 5/32	2,15625	54,8	4" 53/64	4,82813	122,6	7" 1/2	7,50000	190,5
2" 11/64	2,17188	55,2	4" 27/32	4,84375	123,0	7" 33/64	7,51563	190,9
2" 3/16	2,18750	55,6	4" 55/64	4,85938	123,4	7" 17/32	7,53125	191,3
2" 13/64	2,20313	56,0	4" 7/8	4,87500	123,8	7" 35/64	7,54688	191,7
2" 7/32	2,21875	56,4	4" 57/64	4,89063	124,2	7" 9/16	7,56250	192,1
2" 15/64	2,23438	56,8	4" 29/32	4,90625	124,6	7" 37/64	7,57813	192,5
2" 1/4	2,25000	57,2	4" 59/64	4,92188	125,0	7" 19/32	7,59375	192,9
2" 17/64	2,26563	57,5	4" 15/16	4,93750	125,4	7" 39/64	7,60938	193,3
2" 9/32	2,28125	57,9	4" 61/64	4,95313	125,8	7" 5/8	7,62500	193,7
2" 19/64	2,29688	58,3	4" 31/32	4,96875	126,2	7" 41/64	7,64063	194,1
2" 5/16	2,31250	58,7	4" 63/64	4,98438	126,6	7" 21/32	7,65625	194,5
2" 21/64	2,32813	59,1	5"	5,00000	127,0	7" 43/64	7,67188	194,9
2" 11/32	2,34375	59,5	5" 1/64	5,01563	127,4	7" 11/16	7,68750	195,3
2" 23/64	2,35938	59,9	5" 1/32	5,03125	127,8	7" 45/64	7,70313	195,7
2" 3/8	2,37500	60,3	5" 3/64	5,04688	128,2	7" 23/32	7,71875	196,1
2" 25/64	2,39063	60,7	5" 1/16	5,06250	128,6	7" 47/64	7,73438	196,5
2" 13/32	2,40625	61,1	5" 5/64	5,07813	129,0	7" 3/4	7,75000	196,9
2" 27/64	2,42188	61,5	5" 3/32	5,09375	129,4	7" 49/64	7,76563	197,2
2" 7/16	2,43750	61,9	5" 7/64	5,10938	129,8	7" 25/32	7,78125	197,6

Zoll und Millimeter Umrechnungstabelle / INCH AND MILLIMETER EQUIVALENCE CHART

Die Angaben sind ohne Gewähr / Specifications without warranty

1" = 25,40005 mm

1 mm = 0,03937" ~ 5/127"

Teilung / Fraction (")	Dezimal / Decimal (")	Millimeter / Millimeters (mm)	Teilung / Fraction (")	Dezimal / Decimal (")	Millimeter / Millimeters (mm)	Teilung / Fraction (")	Dezimal / Decimal (")	Millimeter / Millimeters (mm)
2" 29/64	2,45313	62,3	5" 1/8	5,12500	130,2	7" 51/64	7,79688	198,0
2" 15/32	2,46875	62,7	5" 9/64	5,14063	130,6	7" 13/16	7,81250	198,4
2" 31/64	2,48438	63,1	5" 5/32	5,15625	131,0	7" 53/64	7,82813	198,8
2" 1/2	2,50000	63,5	5" 11/64	5,17188	131,4	7" 27/32	7,84375	199,2
2" 33/64	2,51563	63,9	5" 3/16	5,18750	131,8	7" 55/64	7,85938	199,6
2" 17/32	2,53125	64,3	5" 13/64	5,20313	132,2	7" 7/8	7,87500	200,0
2" 35/64	2,54688	64,7	5" 7/32	5,21875	132,6	7" 57/64	7,89063	200,4
2" 9/16	2,56250	65,1	5" 15/64	5,23438	133,0	7" 29/32	7,90625	200,8
2" 37/64	2,57813	65,5	5" 1/4	5,25000	133,4	7" 59/64	7,92188	201,2
2" 19/32	2,59375	65,9	5" 17/64	5,26563	133,7	7" 15/16	7,93750	201,6
2" 39/64	2,60938	66,3	5" 9/32	5,28125	134,1	7" 61/64	7,95313	202,0
2" 5/8	2,62500	66,7	5" 19/64	5,29688	134,5	7" 31/32	7,96875	202,4
2" 41/64	2,64063	67,1	5" 5/16	5,31250	134,9	7" 63/64	7,98438	202,8
2" 21/32	2,65625	67,5	5" 21/64	5,32813	135,3			
2" 43/64	2,67188	67,9	5" 11/32	5,34375	135,7			